

Page: 1 of 7

Revision: 07/18/2022 Supersedes Revision: 03/16/2022

1. Product and Company Identification

Product Code: 0148 **Product Name:** 0148

Company Name: Appli-Tec, Inc **Phone Number:** (603)685-0500

7 Industrial Way Unit 1 Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

2. Hazards Identification

Carcinogenicity, Category 2

Toxic To Reproduction, Category 2 Acute Toxicity: Inhalation, Category 4 **Acute Toxicity: Oral, Category 4**

Specific Target Organ Toxicity (repeated exposure), Category 2





GHS Signal Word: Warning

GHS Hazard Phrases: H302 - Harmful if swallowed.

H332 - Harmful if inhaled.

H351 - Suspected of causing cancer.

H361 - Suspected of damaging fertility or the unborn child .

H373 - May cause damage to through prolonged or repeated exposure.

GHS Precautionary

P201 - Obtain special instructions before use.

Phrases: P202 - Do not handle until all safety precautions have been read and

understood.

P260 - Do not breathe vapors, mist or spray. P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P281 - Use personal protective equipment as required.

P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if **GHS Response Phrases:**

you feel unwell. P330 - Rinse mouth.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P308+313 - IF exposed or concerned: Get medical attention/advice. P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P314 - Get medical attention/advice if you feel unwell.

GHS Storage and Disposal P405 - Store locked up.

Phrases: P501 - Dispose of contents/container according to national and local regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.



Page: 2 of 7

Revision: 07/18/2022

Inhalation: May cause respiratory tract irritation.

Skin Contact: Causes skin irritation. Allergic reactions are possible.

Eye Contact: Causes serious eye irritation.

Ingestion: Harmful if swallowed.

Additional Information Percentage of mixture consisting of ingredients of unknown toxicity:9.4

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
471-34-1	Calcium carbonate	15.0 -45.0 %
1313-13-9	Manganese(IV) oxide	1.0 -5.0 %
61788-32-7	Hydrogenated terphenyls	1.0 -5.0 %
13463-67-7	Titanium dioxide	0.1 -5.0 %
108-88-3	Toluene	< 1.0 %
1318-02-1	Zeolites other than erionite (clinoptilolite, phillipsite, mordenite, non-fibrous Japanese zeolite,	0.1 -1.0 %
68956-74-1	Polyphenyls, quater- and higher, partially hydrogenated	0.1 -1.0 %
1333-86-4	Carbon black	0.1 -1.0 %
546-93-0	Magnesite	0.1 -1.0 %
26140-60-3	Terphenyls (o-, m-, p-)	0.1 -1.0 %
102-06-7	N,N'-Diphenyl Guanidine, Coated	0.1 -1.0 %
14807-96-6	Talcum	0.1 -1.0 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing and shoes. Wash off with soap and plenty of

water. Consult a physician.

In Case of Eye Contact: In case of contact with eyes, flush with copious amounts of water for at least 15

minutes. Get immediate medical advice/attention.

In Case of Ingestion: Get medical aid immediately. Do NOT induce vomiting. Never give anything by

mouth to an unconscious person.

Note to Physician: Treat symptomatically and supportively.



Page: 3 of 7

Revision: 07/18/2022

5. Fire Fighting Measures

Flash Pt: NP

LEL: No data. **Explosive Limits:** UEL: No data.

No data. **Autoignition Pt:**

Suitable Extinguishing

Use extinguishing agent suitable for type of surrounding fire.

Media:

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand.

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion

No data available.

Products:

6. Accidental Release Measures

Material Is Released Or

Spilled:

Steps To Be Taken In Case Use proper personal protective equipment as indicated in Section 8. Isolate area and deny entry. Remove all sources of ignition. Ventilate the area. Discharge into the environment must be avoided. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Precautions To Be Taken

in Handling:

Avoid ingestion and inhalation. Avoid contact with eyes, skin, and clothing. Use

only in a well-ventilated area.

Precautions To Be Taken Store at </= -40deg.C.

in Storing:

Exposure Controls/Personal Protection

	or Expedition		TOTOGUION	
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
471-34-1	Calcium carbonate	No data.	TLV: 10 mg/m3 (E)	No data.
1313-13-9	Manganese(IV) oxide	CEIL: 5 mg/m3	TWA: 0.02 mg/m3 (resp.) 0.1 mg/m3 (IHL)	No data.
61788-32-7	Hydrogenated terphenyls	No data.	No data.	No data.
13463-67-7	Titanium dioxide	PEL: 15 (dust) mg/m3	TWA: 10 mg/m3 (Total dust)	No data.
108-88-3	Toluene	PEL: 200 ppm STEL: 500 ppm/(10min) CEIL: 300 ppm	TLV: 20 ppm	No data.
1318-02-1	Zeolites other than erionite (clinoptilolite, phillipsite, mordenite, non-fibrous Japanese zeolite,	No data.	No data.	No data.
68956-74-1	Polyphenyls, quater- and higher, partially hydrogenated	No data.	No data.	No data.
1333-86-4	Carbon black	PEL: 3.5 mg/m3	TLV: 3 mg/m3 (IHL)	No data.
546-93-0	Magnesite	TWA: 15 (dust); 5 (resp.) (Total dust)	TLV: 10 mg/m3 (E)	No data.
26140-60-3	Terphenyls (o-, m-, p-)	CEIL: 1 ppm	CEIL: 5 mg/m3	No data.
102-06-7	N,N'-Diphenyl Guanidine, Coated	No data.	No data.	No data.
14807-96-6	Talcum	PEL: 706 mppm3/20 mppcf	TLV: 2 mg/m3 (non-asbestos)	No data.



Page: 4 of 7

Revision: 07/18/2022 Supersedes Revision: 03/16/2022

Respiratory Equipment

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

Eye Protection: Safety glasses.

Wear appropriate protective gloves to prevent skin exposure. **Protective Gloves:** Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

(Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to

keep airborne concentrations below the permissible exposure limits.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

e Practices: thoroughly after handling.

9. Physical and Chemical Properties

[X] Liquid [] Solid **Physical States:** [] Gas

Appearance: Gray. Paste. Appearance and Odor:

Odor: sulfide odor.

No data. pH: No data. **Melting Point:** No data. **Boiling Point:** NΡ Flash Pt:

No data. **Evaporation Rate:**

Flammability (solid, No data available.

gas):

LEL: No data. UEL: No data. **Explosive Limits:**

No data.

Vapor Pressure (vs. Air

or mm Hg):

Vapor Density (vs. Air = No data.

1):

Specific Gravity (Water =

No data. Solubility in Water: No data. **Saturated Vapor**

Concentration:

Octanol/Water Partition

Coefficient:

No data.

No data. **Autoignition Pt: Decomposition** No data.

Temperature:

Viscosity: No data.

Information with regard to primary physical

hazard:



Page: 5 of 7

Revision: 07/18/2022

10. Stability and Reactivity

Stability: Unstable [X] Stable []

Conditions To Avoid -Product will cure at ambient temperatures. Keep in cold storage until ready to

Instability:

use.

Incompatibility - Materials acids, bases, Oxidizing agents.

To Avoid:

Hazardous Decomposition Carbon oxides, Nitrogen oxides, metal oxides.

or Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid -No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

Chronic Toxicological Suspected of damaging fertility. Suspected of damaging the unborn child.

Effects:

12. Ecological Information

No data available.

13. Disposal Considerations

Observe all federal, state, and local environmental regulations. **Waste Disposal Method:**

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Not Regulated.

Name:

DOT Hazard Class: UN/NA Number:



MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Environmentally Hazardous Substance, Liquid, n.o.s. (Terphenyl,

Hydrogenated terphenyl)

3082 Ш **UN Number: Packing Group:**

9 - CLASS 9 **Hazard Class:**

IMDG MFAG Number:

Marine Pollutant: Yes **IMDG EMS Page:**

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Environmentally Hazardous Substance, Liquid, n.o.s. (Terphenyl,

Hydrogenated terphenyl)

UN Number: 3082 **Packing Group:** Ш

9 - CLASS 9 **Hazard Class:**



Page: 6 of 7

Revision: 07/18/2022 Supersedes Revision: 03/16/2022

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists						
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)		
471-34-1	Calcium carbonate	No	No	No		
1313-13-9	Manganese(IV) oxide	No	No	Yes-Cat. N450		
61788-32-7	Hydrogenated terphenyls	No	No	No		
13463-67-7	Titanium dioxide	No	No	No		
108-88-3	Toluene	No	Yes NA	Yes		
1318-02-1	Zeolites other than erionite (clinoptilolite, phillipsite, mordenite, non-fibrous Japanese zeolite,	No	No	No		
68956-74-1	Polyphenyls, quater- and higher, partially hydrogenated	No	No	No		
1333-86-4	Carbon black	No	No	No		
546-93-0	Magnesite	No	No	No		
26140-60-3	Terphenyls (o-, m-, p-)	No	No	No		
102-06-7	N,N'-Diphenyl Guanidine, Coated	No	No	No		
14807-96-6	Talcum	No	No	No		

California Proposition 65



This product can expose you to chemicals including Titanium dioxide and Carbon black, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov. This product can expose you to chemicals including Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
471-34-1	Calcium carbonate	TSCA: Inventory
1313-13-9	Manganese(IV) oxide	TSCA: Inventory
61788-32-7	Hydrogenated terphenyls	TSCA: Inventory
13463-67-7	Titanium dioxide	TSCA: Inventory CA PROP.65: Yes: Canc.
108-88-3	Toluene	TSCA: Inventory, 8A CAIR CA PROP.65: Yes: RDTox(F)
1318-02-1	Zeolites other than erionite (clinoptilolite, phillipsite, mordenite, non-fibrous Japanese zeolite,	
68956-74-1	Polyphenyls, quater- and higher, partially hydrogenated	TSCA: Inventory
1333-86-4	Carbon black	TSCA: Inventory
		CA PROP.65: Yes: Canc.
546-93-0	Magnesite	TSCA: Inventory
26140-60-3	Terphenyls (o-, m-, p-)	TSCA: Inventory
102-06-7	N,N'-Diphenyl Guanidine, Coated	TSCA: Inventory
14807-96-6	Talcum	TSCA: Inventory



Page: 7 of 7

Revision: 07/18/2022 Supersedes Revision: 03/16/2022

16. Other Information

Revision Date:

07/18/2022

Additional Information About This Product:

No data available.

Company Policy or Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.