

Page: 1 of 6

Revision: 02/08/2024 Supersedes Revision: 10/07/2021

1. Product and Company Identification

Product Code: 0176
Product Name: 0176

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

7 Industrial Way Unit 1 Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

2. Hazards Identification

Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2A

Skin Sensitization, Category 1A Carcinogenicity, Category 2

Toxic To Reproduction, Category 1B

Specific Target Organ Toxicity (single exposure), Category 3

Aquatic Toxicity (Chronic), Category 2







GHS Signal Word:

Danger

GHS Hazard Phrases: H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

H351 - Suspected of causing cancer .

H360 - May damage fertility or the unborn child.

H411 - Toxic to aquatic life with long lasting effects.

GHS Precautionary

Phrases:

P201 - Obtain special instructions before use.

understood.

P261 - Avoid breathing vapors, mist or spray. P264 - Wash hands thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P202 - Do not handle until all safety precautions have been read and

P273 - Avoid release to the environment.

P280 - Wear protective gloves/eye protection/face protection.

P281 - Use personal protective equipment as required.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P308+313 - IF exposed or concerned: Get medical attention/advice. P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use.



Page: 2 of 6

Revision: 02/08/2024 Supersedes Revision: 10/07/2021

P391 - Collect spillage.

GHS Storage and Disposal P405 - Store locked up.

Phrases: P501 - Dispose of contents/container according to national and local regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Inhalation: Irritating to the nose, throat and respiratory tract.Skin Contact: Causes skin irritation. Allergic reactions are possible.

Eve Contact: Causes eye irritation.

Ingestion: Causes gastrointestinal tract irritation.

Additional Information 36% of mixture has unknown acute oral and dermal toxicity.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
1332-58-7	Kaolin	25.0 -50.0 %
68911-25-1	Fatty acids, C18-unsatd., dimers, polymers with 3,3'-[oxybis(2,1-ethanediyloxy)]bis[1-propanamine]	20.0 -45.0 %
25068-38-6	Bisphenol-a based epoxy resin	20.0 -35.0 %
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)	1.0 -9.0 %
108-88-3	Toluene	0.1 -1.0 %
13463-67-7	Titanium dioxide	0.0 -1.0 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing and shoes. Wash clothing before reuse. Wash

with soap and water. Get medical attention if irritation develops or persists.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the

upper and lower eyelids. Get medical aid immediately.

In Case of Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Get medical

attention immediately.

5. Fire Fighting Measures

Flash Point: > 93.00 C

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Water spray, Dry chemical, Carbon dioxide, Foam.

Media:

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Use water

spray to keep fire-exposed containers cool.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion No data available.

Products:

Page: 3 of 6

Revision: 02/08/2024 Supersedes Revision: 10/07/2021

6. Accidental Release Measures

Material Is Released Or Spilled:

Steps To Be Taken In Case Evacuate unnecessary personnel. Ventilate the area. Use proper personal protective equipment as indicated in Section 8. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

7. Handling and Storage

Precautions To Be Taken

in Handling:

Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid

ingestion and inhalation. Store at <= -40deg. C.

Precautions To Be Taken

in Storing:

8. Exposure Controls/Personal Protection **Partial Chemical Name OSHA TWA ACGIH TWA Other Limits** CAS# PEL: 15 (dust); 5 (resp.) TLV: 2 mg/m3 (E,R) No data. 1332-58-7 Kaolin mg/m3 68911-25-1 Fatty acids, C18-unsatd., dimers, No data. No data. No data. polymers with 3,3'-[oxybis(2,1-ethanediyloxy)]bis[1-pr opanamine] Bisphenol-a based epoxy resin 25068-38-6 No data. No data. No data. 3,3'-Oxybis(ethyleneoxy)bis(propylamin No data. No data. No data. 4246-51-9 e) 108-88-3 Toluene PEL: 200 ppm TLV: 20 ppm No data. STEL: 500 ppm/(10min) CEIL: 300 ppm

PEL: 15 (dust) mg/m3

Respiratory Equipment

(Specify Type):

13463-67-7

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

TWA: 10 mg/m3 (Total dust)

Safety glasses. **Eye Protection:**

Titanium dioxide

Protective Gloves:

Wear appropriate protective gloves to prevent skin exposure. Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use process enclosure, local exhaust ventilation, or

other engineering controls to control airborne levels below recommended

exposure limits.

e Practices:

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance: Gray. Paste. **Appearance and Odor:**

Odor: weak odor.

No data. pH: No data. **Melting Point: Boiling Point:** No data. Flash Point: > 93.00 C



Page: 4 of 6

Revision: 02/08/2024 Supersedes Revision: 10/07/2021

Evaporation Rate: No data.

Flammability (solid,

gas):

No data available.

LEL: No data. **Explosive Limits:** UEL: No data.

Vapor Pressure: No data. Vapor Density (vs. No data.

Air=1):

Specific Gravity

(Water=1):

~1.2

No data. Solubility in Water:

Saturated Vapor

Concentration:

Octanol/Water Partition

Coefficient:

No data.

No data.

No data. **Autoignition Pt: Decomposition** No data.

Temperature:

Viscosity: No data.

Information with regard to primary physical

hazard:

10. Stability and Reactivity

Stability: Unstable [X] Stable []

Conditions To Avoid -

Product will cure at ambient temperatures. Keep in cold storage until ready to

Instability:

use.

Incompatibility - Materials Strong oxidizing agents.

To Avoid:

Hazardous Decomposition irritating and toxic fumes and gases, Nitrogen oxides, Carbon oxides.

or Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid -

No data available.

Hazardous Reactions:



Page: 5 of 6

Revision: 02/08/2024 Supersedes Revision: 10/07/2021

11. Toxicological Information

Toxicological Information: No data available. Skin sensitization. Sensitization: **Chronic Toxicological**

Effects:

Carcinogenicity/Other

Information:

Reproductive toxicity.

12. Ecological Information

Ingredient CAS# 13463-67-7: IARC: Group 2B carcinogen.

No data available.

13. Disposal Considerations

Observe all federal, state, and local environmental regulations. **Waste Disposal Method:**

14. Transport Information

LAND TRANSPORT (US DOT):

Not Regulated. **DOT Proper Shipping**

Name:

DOT Hazard Class: UN/NA Number:





MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Environmentally Hazardous Substance, Liquid, n.o.s. (Epoxy resin)

UN3082 **Packing Group: UN Number:**

Hazard Class: 9 - CLASS 9

IMDG MFAG Number:

Marine Pollutant: Yes

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Environmentally Hazardous Substance, Liquid, n.o.s. (Epoxy resin)

UN3082 Packing Group: Ш **UN Number:**

Hazard Class: 9 - CLASS 9

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists


CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1332-58-7	Kaolin	No	No	No
68911-25-1	Fatty acids, C18-unsatd., dimers, polymers with 3,3'-[oxybis(2,1-ethanediyloxy)]bis[1-propanamin e]	No	No	No
25068-38-6	Bisphenol-a based epoxy resin	No	No	No
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)	No	No	No
108-88-3	Toluene	No	Yes NA	Yes
13463-67-7	Titanium dioxide	No	No	No



Page: 6 of 6

Revision: 02/08/2024 Supersedes Revision: 10/07/2021

California Proposition 65



This product can expose you to chemicals including Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov. This product can expose you to chemicals including Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1332-58-7	Kaolin	TSCA: Inventory
68911-25-1	Fatty acids, C18-unsatd., dimers, polymers with 3,3'-[oxybis(2,1-ethanediyloxy)]bis[1-propanamin e]	TSCA: Inventory
25068-38-6	Bisphenol-a based epoxy resin	TSCA: Inventory
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)	TSCA: Inventory
108-88-3	Toluene	TSCA: Inventory, 8A CAIR, 8C CA PROP.65: Yes: RDTox(F)
13463-67-7	Titanium dioxide	TSCA: Inventory CA PROP.65: Yes: Canc.
CAS#	Hazardous Components (Chemical Name)	International Regulatory Lists
1332-58-7	Kaolin	REACH: (P)
68911-25-1	Fatty acids, C18-unsatd., dimers, polymers with 3,3'-[oxybis(2,1-ethanediyloxy)]bis[1-propanamin e]	REACH: (P)
25068-38-6	Bisphenol-a based epoxy resin	REACH: (P)
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)	REACH: (P), 01-2119963377-26: Full
108-88-3	Toluene	REACH: (P), 01-2119471310-51: Full, Res 48., XVII - 48
13463-67-7	Titanium dioxide	REACH: (P), 01-2119489379-17: Full

16. Other Information

Revision Date: 02/08/2024 **Previous revision:** 10/07/2021

Additional Information About This Product:

No data available.

Company Policy or Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.