

Page: 1 of 7

Revision: 02/13/2024 Supersedes Revision: 10/06/2021

## 1. Product and Company Identification

Product Code: 0543 Product Name: 0543

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

7 Industrial Way Unit 1 Salem, NH 03079

Web site address: www.appli-tec.com

**Emergency Contact:** Contact medical emergency services

**Information:** Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

#### 2. Hazards Identification

Flammable Liquids, Category 2

Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2

Carcinogenicity, Category 2

**Toxic To Reproduction, Category 2** 

Specific Target Organ Toxicity (single exposure), Category 3
Specific Target Organ Toxicity (repeated exposure), Category 1







GHS Signal Word: Danger

GHS Hazard Phrases: H225 - Highly flammable liquid and vapor.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. H351 - Suspected of causing cancer.

H361 - Suspected of damaging fertility or the unborn child .

H372 - Causes damage to organs - Lungs, Respiratory irritation. through

prolonged or repeated exposure.

GHS Precautionary

P201 - Obtain special instructions before use.

Phrases: P202 - Do not handle until all safety precautions have been read and

understood.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 - Keep container tightly closed.

P241 - Use explosion-proof electrical/ventilating/lighting// equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P260 - Do not breathe vapors, mist, or spray. P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/eye protection/face protection.

P281 - Use personal protective equipment as required.

GHS Response Phrases: P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.



Revision: 02/13/2024

Supersedes Revision: 10/06/2021

Page: 2 of 7

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P308+313 - IF exposed or concerned: Get medical attention/advice.

P314 - Get medical attention/advice if you feel unwell.

P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal P403+235 - Store in cool/well-ventilated place. P405 - Store locked up.

**Phrases:** P501 - Dispose of contents/container according to national and local regulations.

**OSHA Regulatory Status:** This material is classified as hazardous under OSHA regulations.

Inhalation:Causes respiratory tract irritation. Harmful if inhaled.Skin Contact:Causes skin irritation. May cause allergic skin reaction.

Eye Contact:Causes eye irritation.Ingestion:Harmful if swallowed.Additional InformationNo data available.

#### 3. Composition/Information on Ingredients

| CAS#       | Hazardous Components (Chemical Name) | Concentration |
|------------|--------------------------------------|---------------|
| 1344-28-1  | Aluminum oxide                       | 40.0 -50.0 %  |
| NA         | Liquid polysulfide polymer           | <35.0 %       |
| 471-34-1   | Calcium carbonate                    | <20.0 %       |
| 78-93-3    | Methyl ethyl ketone                  | <10.0 %       |
| 108-88-3   | Toluene                              | <10.0 %       |
| 1313-13-9  | Manganese(IV) oxide                  | < 5.0 %       |
| 61788-32-7 | Hydrogenated terphenyls              | < 5.0 %       |
| 13463-67-7 | Titanium dioxide                     | < 5.0 %       |
| 1333-86-4  | Carbon black                         | < 1.0 %       |
| 102-06-7   | N,N'-Diphenyl Guanidine, Coated      | < 0.5 %       |

**Additional Information** Exact percentages have been withheld as a trade secret.

#### 4. First Aid Measures

**Emergency and First Aid** 

**Procedures:** 

**In Case of Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention/advice.

**In Case of Ingestion:** Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical aid immediately.

**Note to Physician:** Treat symptomatically and supportively.



Page: 3 of 7

Revision: 02/13/2024 Supersedes Revision: 10/06/2021

## 5. Fire Fighting Measures

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand.

Flash Point: ~ 30.00 C

LEL: No data. **Explosive Limits:** UEL: No data.

**Autoignition Pt:** No data.

**Suitable Extinguishing** 

Use water spray, dry chemical, carbon dioxide, or appropriate foam. Media:

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

**Hazardous Combustion** 

No data available.

**Products:** 

#### 6. Accidental Release Measures

Material Is Released Or

Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

#### 7. Handling and Storage

**Precautions To Be Taken** 

in Handling:

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away

from sources of ignition - No smoking. Wash thoroughly after handling.

**Precautions To Be Taken** 

Store at <= -40deg.C.

| in | Storing | <b>j:</b> |
|----|---------|-----------|
|----|---------|-----------|

| 8. Exposure Controls/Personal Protection |                                 |  |   |              |
|--|---------------------------------|--|---|--------------|
| CAS#                                     | Partial Chemical Name           | OSHA TWA   | ACGIH TWA                               | Other Limits |
| 1344-28-1                                | Aluminum oxide                  | PEL: 15 (dust); 5 (resp.) mg/m3                        | TLV: 10 mg/m3 (E)                       | No data.     |
| NA                                       | Liquid polysulfide polymer      | No data.   | No data.                                | No data.     |
| 471-34-1                                 | Calcium carbonate               | No data.   | TLV: 10 mg/m3 (E)                       | No data.     |
| 78-93-3                                  | Methyl ethyl ketone             | PEL: 200 ppm   | TLV: 200 ppm<br>STEL: 300 ppm           | No data.     |
| 108-88-3                                 | Toluene                         | PEL: 200 ppm<br>STEL: 500 ppm/(10min)<br>CEIL: 300 ppm | TLV: 20 ppm                             | No data.     |
| 1313-13-9                                | Manganese(IV) oxide             | CEIL: 5 mg/m3  | TWA: 0.02 mg/m3 (resp.) 0.1 mg/m3 (IHL) | No data.     |
| 61788-32-7                               | Hydrogenated terphenyls         | No data.   | No data.                                | No data.     |
| 13463-67-7                               | Titanium dioxide                | PEL: 15 (dust) mg/m3                                   | TLV: 10 mg/m3                           | No data.     |
| 1333-86-4                                | Carbon black                    | PEL: 3.5 mg/m3   | TLV: 3 mg/m3 (IHL)                      | No data.     |
| 102-06-7                                 | N,N'-Diphenyl Guanidine, Coated | No data.   | No data.                                | No data.     |



Page: 4 of 7

Revision: 02/13/2024 Supersedes Revision: 10/06/2021

**Respiratory Equipment** 

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

**Eye Protection:** Safety glasses.

**Protective Gloves:** Wear appropriate protective gloves to prevent skin exposure. **Other Protective Clothing:** Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use process enclosure, local exhaust ventilation, or

other engineering controls to control airborne levels below recommended

exposure limits.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

e Practices:

hands before breaks and at the end of workday.

# 9. Physical and Chemical Properties

Physical States: [ ] Gas [ X ] Liquid [ ] Solid

**Appearance and Odor:** Appearance: Gray. Paste.

Odor: sulfide odor.

pH: No data.

Melting Point: No data.

Boiling Point: No data.

Flash Point: ~ 30.00 C

Evaporation Rate: No data.

Flammability (solid,

gas):

No data available.

**Explosive Limits:** LEL: No data. UEL: No data.

Vapor Pressure: No data.
Vapor Density (vs. No data.

Vapor Dens

ty (vs. 140 da

Air=1):

Specific Gravity

(Water=1):

~2.1

Solubility in Water: No data.

Saturated Vapor

Concentration:

No data.

**Octanol/Water Partition** 

Coefficient:

No data.

Autoignition Pt: No data.

Decomposition No data.

Temperature:

Viscosity: No data.

Information with regard to primary physical hazard:



Page: 5 of 7

Revision: 02/13/2024 Supersedes Revision: 10/06/2021

# 10. Stability and Reactivity

Stability: Unstable [ X ] Stable [ ]

**Conditions To Avoid -** Product will cure at ambient temperatures. Keep in cold storage until ready to

**Instability:** use.

**Incompatibility - Materials** No data available.

To Avoid:

Hazardous Decomposition Carbon oxides, sulfur oxides. Nitrogen oxides.

or Byproducts:

Possibility of Hazardous Will occur [ ] Will not occur [ X ]

Reactions:

**Conditions To Avoid -** No data available.

**Hazardous Reactions:** 

## 11. Toxicological Information

**Toxicological Information:** No data available. **Irritation or Corrosion:** Skin and eye irritant.

**Chronic Toxicological** Suspected of damaging fertility or the unborn child.

Effects:

Carcinogenicity/Other Contains material which may cause cancer, based on animal data. Risk

**Information:** depends on level and duration of exposure.

#### 12. Ecological Information

No data available.

#### 13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

## 14. Transport Information

LAND TRANSPORT (US DOT):

**DOT Proper Shipping** Adhesives.

Name:

**DOT Hazard Class:** 3 FLAMMABLE LIQUID

UN/NA Number: UN1133 Packing Group: III



MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Adhesives.

UN Number: UN1133 Packing Group: III

Hazard Class: 3 - FLAMMABLE LIQUID

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Adhesives.

UN Number: UN1133 Packing Group: III

Hazard Class: 3 - FLAMMABLE LIQUID



Revision: 02/13/2024 Supersedes Revision: 10/06/2021

# 15. Regulatory Information

| EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists |                                      |              |           |               |
|---|--------------------------------------|--------------|-----------|---------------|
| CAS#  | Hazardous Components (Chemical Name) | S. 302 (EHS) | S. 304 RQ | S. 313 (TRI)  |
| 1344-28-1   | Aluminum oxide                       | No           | No        | Yes           |
| NA  | Liquid polysulfide polymer           | No           | No        | No            |
| 471-34-1  | Calcium carbonate                    | No           | No        | No            |
| 78-93-3   | Methyl ethyl ketone                  | No           | Yes NA    | No            |
| 108-88-3  | Toluene                              | No           | Yes NA    | Yes           |
| 1313-13-9   | Manganese(IV) oxide                  | No           | No        | Yes-Cat. N450 |
| 61788-32-7  | Hydrogenated terphenyls              | No           | No        | No            |
| 13463-67-7  | Titanium dioxide                     | No           | No        | No            |
| 1333-86-4   | Carbon black                         | No           | No        | No            |
| 102-06-7  | N,N'-Diphenyl Guanidine, Coated      | No           | No        | No            |

### **California Proposition 65**



This product can expose you to chemicals including Titanium dioxide and Carbon black, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov. This product can expose you to chemicals including Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

| CAS#       | Hazardous Components (Chemical Name) | Other US EPA or State Lists                               |
|------------|--------------------------------------|---|
| 1344-28-1  | Aluminum oxide                       | TSCA: Inventory   |
| NA         | Liquid polysulfide polymer           | TSCA: Inventory   |
| 471-34-1   | Calcium carbonate                    | TSCA: Inventory   |
| 78-93-3    | Methyl ethyl ketone                  | TSCA: Inventory   |
| 108-88-3   | Toluene                              | TSCA: Inventory, 8A CAIR, 8C<br>CA PROP.65: Yes: RDTox(F) |
| 1313-13-9  | Manganese(IV) oxide                  | TSCA: Inventory   |
| 61788-32-7 | Hydrogenated terphenyls              | TSCA: Inventory   |
| 13463-67-7 | Titanium dioxide                     | TSCA: Inventory CA PROP.65: Yes: Canc.                    |
| 1333-86-4  | Carbon black                         | TSCA: Inventory CA PROP.65: Yes: Canc.                    |
| 102-06-7   | N,N'-Diphenyl Guanidine, Coated      | TSCA: Inventory   |
| CAS#       | Hazardous Components (Chemical Name) | International Regulatory Lists                            |
| 1344-28-1  | Aluminum oxide                       | REACH: (P), 01-2119817795-27: Full                        |
| NA         | Liquid polysulfide polymer           |   |
| 471-34-1   | Calcium carbonate                    | REACH: (P), 01-2119486795-18: Full                        |
| 78-93-3    | Methyl ethyl ketone                  | REACH: (P), 01-2119457290-43: Full                        |
| 108-88-3   | Toluene                              | REACH: (P), 01-2119471310-51: Full, Res 48., XVII - 48    |
| 1313-13-9  | Manganese(IV) oxide                  | REACH: (P), 01-2119452801-43: Full                        |
| 61788-32-7 | Hydrogenated terphenyls              | REACH: (P), 01-2119488183-33: Full, SVHC                  |
| 13463-67-7 | Titanium dioxide                     | REACH: (P), 01-2119489379-17: Full                        |
| 1333-86-4  | Carbon black                         | REACH: (P), 01-2119384822-32: Full                        |
| 102-06-7   | N,N'-Diphenyl Guanidine, Coated      | REACH: (P), 01-2119519144-47: Full                        |



Page: 7 of 7

Revision: 02/13/2024 Supersedes Revision: 10/06/2021

### 16. Other Information

Revision Date: 02/13/2024 Previous revision: 10/06/2021

Additional Information About This Product:

No data available.

Company Policy or Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.