

Page: 1 of 6

Revision: 02/09/2024 Supersedes Revision: 10/07/2021

1. Product and Company Identification

Product Code: 5018 Product Name: 5018

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

7 Industrial Way Unit 1 Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

2. Hazards Identification

Skin Corrosion/Irritation, Category 1B Serious Eye Damage/Eye Irritation, Category 2 Skin Sensitization, Category 1 Aquatic Toxicity (Chronic), Category 2







GHS Signal Word: Danger

GHS Hazard Phrases: H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

GHS Precautionary P261 - Avoid breathing vapors,mist or spray. **Phrases:** P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/eye protection/face protection.

GHS Response Phrases: P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage.

GHS Storage and Disposal P405 - Store locked up.

Phrases: P501 - Dispose of contents/container according to national and local regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.



Page: 2 of 6

Revision: 02/09/2024 Supersedes Revision: 10/07/2021

Inhalation: Harmful if inhaled.

Skin Contact: Causes skin burns. May cause allergic skin reaction. **Eye Contact:** Causes eye burns. Causes serious eye damage.

Ingestion: Harmful if swallowed.

Additional Information No data available.

3. Composition/Information on Ingredients

CAS # Hazardous Components (Chemical Name) Concentration

1675-54-3 Oxirane, 40.0 -50.0 %

 $2,2'\hbox{-}[(1\hbox{-}Methylethylidene)bis (4,1\hbox{-}phenyleneoxym$

ethylene)]bis-

25068-38-6 Bisphenol-a based epoxy resin 15.0 -25.0 % 9046-10-0 *Poly(oxy(methyl-1,2-ethanediyl) 10.0 -20.0 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention/advice.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical advice/attention.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Point: > 93.00 C

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Media:

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion No data available.

Products:

Page: 3 of 6

Revision: 02/09/2024 Supersedes Revision: 10/07/2021

6. Accidental Release Measures

Material Is Released Or Spilled:

Steps To Be Taken In Case Discharge into the environment must be avoided. Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste

7. Handling and Storage

Precautions To Be Taken

in Handling:

Avoid breathing dust, mist, or vapor. Avoid contact with eyes, skin, and clothing.

Use only with adequate ventilation. Normal measures for preventive fire

protection.

container.

Precautions To Be Taken

Store at <= -40deg.C.

in Storing:

8. Exposure Controls/Personal Protection							
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits			
1675-54-3	Oxirane, 2,2'-[(1-Methylethylidene)bis(4,1-pheny leneoxymethylene)]bis-	No data.	No data.	No data.			
25068-38-6	Bisphenol-a based epoxy resin	No data.	No data.	No data.			
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	No data.	No data.	No data.			

Respiratory Equipment

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

Eye Protection: Safety glasses.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash

facility and a safety shower. Use adequate ventilation to keep airborne

concentrations low.

e Practices:

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

hands before breaks and at the end of workday.

9. Physical and Chemical Properties

[] Gas [X] Liquid [] Solid **Physical States:** Appearance: Clear, yellow, Liquid. Appearance and Odor:

Odor: weak odor.

pH: No data. No data. **Melting Point: Boiling Point:** No data. > 93.00 C Flash Point: No data. **Evaporation Rate:**

Flammability (solid,

gas):

No data available.

Explosive Limits: LEL: No data. UEL: No data.

No data. **Vapor Pressure:** Vapor Density (vs. No data.

Air=1):

GHS format



Page: 4 of 6

Revision: 02/09/2024 Supersedes Revision: 10/07/2021

Specific Gravity

(Water=1):

~1

Solubility in Water: No data.

Saturated Vapor

No data.

Concentration:

Octanol/Water Partition

Coefficient:

No data.

Autoignition Pt: Decomposition

No data.

Temperature:

No data.

remperature

Viscosity:

No data.

Information with regard to primary physical hazard:

10. Stability and Reactivity

Stability: Unstable [X] Stable []

Conditions To Avoid - Product will cure at ambient temperatures. Keep in cold storage until ready to

Instability: us

use.

Incompatibility - Materials Strong oxidizing agents, Strong bases, Alcohols, Water.

To Avoid:

Hazardous Decomposition Carbon oxides, nitrogen oxides (NOx).

or Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

Irritation or Corrosion: Serious eye damage/irritation. Skin corrosion/irritation.

Sensitization: Skin sensitization.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

14. Transport Information



Page: 5 of 6

Revision: 02/09/2024 Supersedes Revision: 10/07/2021

LAND TRANSPORT (US DOT):

DOT Proper Shipping AMINES, LIQUID, CORROSIVE, N.O.S. (polyoxypropylenediamine)

Name:

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN2735 Packing Group: III

CORROSIVE 8

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (polyoxypropylenediamine)

UN Number: UN2735 Packing Group: III

Hazard Class: 8 - CORROSIVE

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (polyoxypropylenediamine)

UN Number: UN2735 Packing Group: III

Hazard Class: 8 - CORROSIVE

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists								
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)				
1675-54-3	Oxirane,	No	No	No				
	2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-							
25068-38-6	Bisphenol-a based epoxy resin	No	No	No				
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	No	No	No				
CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists						
1675-54-3	Oxirane,	TSCA: Inventory, 4 ECA - Cat., 8A						
	2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-							
25068-38-6	Bisphenol-a based epoxy resin	TSCA: Inventory						
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	TSCA: Inventory						
CAS#	Hazardous Components (Chemical Name)	International Regulatory Lists						
1675-54-3	Oxirane,	REACH: (P), 01-2120819292-58: Full						
	2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-							
25068-38-6	Bisphenol-a based epoxy resin	REACH: (P)						
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	REACH: (P), 01-21	19557899-12: Full					



Page: 6 of 6

Revision: 02/09/2024 Supersedes Revision: 10/07/2021

16. Other Information

Revision Date: 02/09/2024 Previous revision: 10/07/2021

Additional Information About This Product:

No data available.

Company Policy or Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.