

Revision: 02/08/2024 Supersedes Revision: 10/20/2023

1. Product and Company Identification				
Product Code:	5051			
Product Name:	5051			
Company Name:	Appli-Tec, Inc 7 Industrial Way Unit 1 Salem, NH 03079	Phone Number: (603)685-0500		
Web site address:	www.appli-tec.com			
Emergency Contact:	Contact medical emergency services			
Information: Intended Use:	Call Chemtrec for Transport Info. Adhesive	(800)424-9300		

2. Hazards Identification

Skin Corrosion/Irritation, Category 1B Serious Eye Damage/Eye Irritation, Category 2 Skin Sensitization, Category 1 Aquatic Toxicity (Chronic), Category 2



• •	
GHS Signal Word:	Danger
GHS Hazard Phrases:	H314 - Causes severe skin burns and eye damage.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H411 - Toxic to aquatic life with long lasting effects.
GHS Precautionary	P261 - Avoid breathing vapors,mist or spray.
Phrases:	P264 - Wash hands thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/eye protection/face protection.
GHS Response Phrases:	P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all
	contaminated clothing. Rinse skin with water/shower.
	P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a
	position comfortable for breathing.
	P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	P310 - Immediately call a POISON CENTER or doctor/physician.
	P333+313 - If skin irritation or rash occurs, seek medical advice/attention.
	P337+313 - If eye irritation persists, get medical advice/attention.
	P363 - Wash contaminated clothing before reuse.
	P391 - Collect spillage.
GHS Storage and Disposa	
Phrases:	P501 - Dispose of contents/container according to national and local regulations.
OSHA Regulatory Status:	This material is classified as hazardous under OSHA regulations.
	-



Page: 2 of 6

Revision: 02/08/2024 Supersedes Revision: 10/20/2023

Inhalation:	Harmful if inhaled.	
Skin Contact:	Causes skin burns. May cause allergic skin reaction.	
Eye Contact:	Causes eye burns. Causes serious eye damage.	
Ingestion:	Harmful if swallowed.	
Additional Information	No data available.	
	3. Composition/Information on Ingredients	

CAS #	Hazardous Components (Chemical Name)	Concentration
1675-54-3	Oxirane, 2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxym ethylene)]bis-	70.0 -80.0 %
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	15.0 -30.0 %
25322-69-4	Poly[oxy(methyl-1,2-ethanediyl)], .alphahydroomegahydroxy-	1.0 -5.0 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures				
Emergency and First Aid Procedures:				
In Case of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.			
In Case of Skin Contact:	Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash contaminated clothing before reuse.			
In Case of Eye Contact:	Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention/advice.			
In Case of Ingestion:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical advice/attention.			
Note to Physician:	Treat symptomatically and supportively.			
	5. Fire Fightin	g Measures		
Flash Point:	> 93.00 C			
Explosive Limits:	LEL: No data.	UEL: No data.		
Autoignition Pt:	No data.			
Suitable Extinguishing Media:	Use water spray, dry chemical, carbon dioxide, or appropriate foam.			
Fire Fighting Instructions:	: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.			
Flammable Properties and Hazards:	No data available.			
Hazardous Combustion Products:	No data available.			



5051

Revision: 02/08/2024 Supersedes Revision: 10/20/2023

Supersedes Revision: 10/20/2023					
	6. Accie	dental Release	e Measures		
Steps To Be Taken In C Material Is Released Or Spilled:	Do not let proc personal prote	 e Discharge into the environment must be avoided. Ensure adequate ventilation. Do not let product enter drains. Isolate area and deny entry. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. 			
	7. H	Handling and S	Storage		
Precautions To Be Take in Handling: Precautions To Be Take in Storing:	Wash thoroug	hly after handling.	oor. Avoid contact with eye	s, skin, and clothing.	
	8. Exposure	Controls/Pers	onal Protection		
CAS # Partial Chemi	-	OSHA TWA	ACGIH TWA	Other Limits	
1675-54-3 Oxirane, 2,2'-[(1-Methy leneoxymethy	ethylidene)bis(4,1-phe lene)]bis-	No data. ny	No data.	No data.	
9046-10-0 *Poly(oxy(met	hyl-1,2-ethanediyl)	No data.	No data.	No data.	
•••••	yl-1,2-ethanediyl)], .omegahydroxy-	No data.	No data.	No data.	
Engineering Controls (Ventilation etc.):	 t Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Safety glasses. Wear appropriate protective gloves to prevent skin exposure. ing: Wear appropriate protective clothing to prevent skin exposure. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. nanc Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. 				
	9. Physica	al and Chemic	al Properties		
Physical States:	[]Gas [)	K]Liquid []S	olid		
Appearance and Odor:	Appearance: L Odor: weak od	ight. yellow. Viscou lor.	us. Liquid.		
pH:	No data.				
Melting Point:	No data.				
Boiling Point:	No data.				
Flash Point:	> 93.00 C				
Evaporation Rate:	No data.				
Flammability (solid, gas):	No data availa	ble.			
Explosive Limits:	LEL: No data.	UEL	.: No data.		
Vapor Pressure:	No data.				
Vapor Density (vs. Air=1):	No data.				
Specific Gravity	~1.1				



Revision: 02/08/2024 Supersedes Revision: 10/20/2023

(Water=1):

Solubility in Water:	No data.
Saturated Vapor Concentration:	No data.
Octanol/Water Partition Coefficient:	No data.
Autoignition Pt:	No data.
Decomposition Temperature:	No data.
Viscosity:	No data.

Information with regard to primary physical hazard:

10. Stability and Reactivity				
Stability:	Unstable [X] Stable []			
Conditions To Avoid - Instability:	Product will cure at ambient temperatures. Keep in cold storage until ready to use.			
Incompatibility - Materials To Avoid:	Strong oxidizing agents, bases, Water, Alcohols.			
Hazardous Decompositior or Byproducts:	n Carbon oxides, nitrogen oxides (NOx).			
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]			
Conditions To Avoid - Hazardous Reactions:	No data available.			
11. Toxicological Information				
Toxicological Information	: No data available.			
Irritation or Corrosion:	ation or Corrosion: Serious eye damage/irritation. Skin corrosion/irritation.			
Sensitization:	Skin sensitization.			
12. Ecological Information				
General Ecological Information:	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.			
13. Disposal Considerations				
Waste Disposal Method:	Observe all federal, state, and local environmental regulations.			
14. Transport Information				

APPLI-TEC
Thermoset Adhesive Solutions

Revision: 02/08/2024 Supersedes Revision: 10/20/2023

LAND TRANSPORT (US DOT):

	13FORT (03 DOT)-			
-	per Shipping	AMINES, LIQUID, C	ORROSIVE, N.O	.S. (polyoxypropy	/lenediamine)
Name:					
	ard Class:		RROSIVE	•	
UN/NA Nu	umber:	UN2735	Packing	Group:	III
		CORROSIVE			
MARINE TR	ANSPORT (IMDG	/IMO):			
IMDG/IMC	O Shipping Name	: AMINES, LIQUID, C	CORROSIVE, N.O	.S. (polyoxyprop	ylenediamine)
UN Numb	er:	UN2735	Packing	Group:	III
Hazard C	lass:	8 - CORROSIVE			
AIR TRANSI	PORT (ICAO/IATA	() :			
ICAO/IAT	A Shipping Name	: AMINES, LIQUID, C	ORROSIVE, N.O	.S. (polyoxyprop	/lenediamine)
UN Numb	er:	UN2735	Packing	Group:	III
Hazard C	lass:	8 - CORROSIVE			
		15. Regulate	ory Informatio	on	
EPA SARA (Su	uperfund Amendmen	ts and Reauthorization A	ct of 1986) Lists		
CAS #	Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ			S. 304 RQ	S. 313 (TRI)
1675-54-3	Oxirane, 2,2'-[(1-Methylethylic ethylene)]bis-	dene)bis(4,1-phenyleneoxyı	No m	No	No
9046-10-0	*Poly(oxy(methyl-1,2	2-ethanediyl)	No	No	No
25322-69-4	Poly[oxy(methyl-1,2-ethanediyl)], .alphahydroomegahydroxy-		No	No	No
CAS #	Hazardous Compo	nents (Chemical Name)	Other US EPA o	r State Lists	
1675-54-3	Oxirane, 2,2'-[(1-Methylethylic ethylene)]bis-	dene)bis(4,1-phenyleneoxyı	-	v, 4 ECA - Cat., 8A	
9046-10-0 *Poly(oxy(methyl-1,2-ethanediyl)		TSCA: Inventory			
25322-69-4 Poly[oxy(methyl-1,2-ethanediyl)], .alphahydroomegahydroxy-			TSCA: Inventory	,	
CAS # Hazardous Components (Chemical Name)			International Re	gulatory Lists	
1675-54-3	Oxirane, 2,2'-[(1-Methylethylic ethylene)]bis-	dene)bis(4,1-phenyleneoxy		-2120819292-58: Fu	II
9046-10-0	*Poly(oxy(methyl-1,2		REACH: (P), 01-	REACH: (P), 01-2119557899-12: Full	
25322-69-4	Poly[oxy(methyl-1,2- .alphahydroomeg	• • •	REACH: (P), 01-	-2119493630-37: Fu	II



Revision: 02/08/2024 Supersedes Revision: 10/20/2023

16. Other Information				
Revision Date:	02/08/2024	Previous revision:	10/20/2023	
Additional Information About This Product:	No data available.			
Company Policy or Disclaimer:	the proper use in ha the product which is technical bulletin, or	this data sheet represents our curren indling of this product under normal not in conformance with this data sl which involves using the product in other process is the responsibility o	conditions. Any use of heet or the applicable combination with any	