

Page: 1 of 6

Revision: 02/08/2024 Supersedes Revision: 05/25/2022

# 1. Product and Company Identification

Product Code: 7340 Product Name: 7340

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

Salem, NH 03079

Web site address: www.appli-tec.com

**Emergency Contact:** Contact medical emergency services

**Information:** Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

#### 2. Hazards Identification

Skin Corrosion/Irritation, Category 3 Respiratory Sensitization, Category 1 Skin Sensitization, Category 1 Toxic To Reproduction, Category 2

Specific Target Organ Toxicity (single exposure), Category 3





GHS Signal Word: Danger

**GHS Hazard Phrases:** H316 - Causes mild skin irritation.

H317 - May cause an allergic skin reaction.

H334 - May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

H335 - May cause respiratory irritation.

H361 - Suspected of damaging fertility or the unborn child .

**GHS Precautionary** 

P201 - Obtain special instructions before use.

Phrases: P202 - Do not handle until all safety precautions have been read and

understood.

P261 - Avoid breathing vapors, mist or spray.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

P281 - Use personal protective equipment as required.

P285 - In case of inadequate ventilation wear respiratory protection.

**GHS Response Phrases:** P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P341 - If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing.

P308+313 - IF exposed or concerned: Get medical attention/advice.
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
P333+313 - If skin irritation or rash occurs, seek medical advice/attention.
P342+311 - If experiencing respiratory symptoms call a POISON CENTER or

doctor/physician.

P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal P405 - Store locked up.

**Phrases:** P501 - Dispose of contents/container according to national and local regulations.



Page: 2 of 6

Revision: 02/08/2024 Supersedes Revision: 05/25/2022

**OSHA Regulatory Status:** This material is classified as hazardous under OSHA regulations.

Inhalation: Harmful if inhaled. Causes respiratory tract irritation. Causes skin irritation. May cause allergic skin reaction. **Skin Contact:** 

**Eye Contact:** Causes serious eye irritation.

Harmful if swallowed. Ingestion: **Additional Information** No data available.

# 3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
1344-28-1	Aluminum oxide	70.0 -80.0 %
69102-90-5	Polybutadiene	10.0 -20.0 %
68611-44-9	Modified silicon dioxide	1.0 -5.0 %
28182-81-2	Poly(hexamethylene diisocyanate)	1.0 -5.0 %
71631-15-7	C.I. Pigment Black 30	0.1 -1.0 %
119-47-1	Phenol,2,2'-methylenebis6-(1,1-dimethylethyl)-4-methyl-	0.1 -1.0 %
822-06-0	Hexamethylene-1,6-diisocyanate	0.0 -0.1 %

**Additional Information** Exact percentages have been withheld as a trade secret.

#### 4. First Aid Measures

**Emergency and First Aid** 

**Procedures:** 

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention/advice.

Do NOT induce vomiting. Never give anything by mouth to an unconscious In Case of Ingestion:

person. Get medical advice/attention.

Treat symptomatically and supportively. Note to Physician:

## 5. Fire Fighting Measures

Flash Point: > 93.00 C

LEL: No data. **Explosive Limits:** UEL: No data.

**Autoignition Pt:** No data.

**Suitable Extinguishing** 

Media:

Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Use water

spray to keep fire-exposed containers cool.

Flammable Properties and No data available.

Hazards:

**Hazardous Combustion** No data available.

**Products:** 

Page: 3 of 6

Revision: 02/08/2024 Supersedes Revision: 05/25/2022

#### 6. Accidental Release Measures

Material Is Released Or Spilled:

Steps To Be Taken In Case Use proper personal protective equipment as indicated in Section 8. Provide ventilation. Evacuate personnel to safe areas. Discharge into the environment must be avoided. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

#### 7. Handling and Storage

**Precautions To Be Taken** 

in Handling:

Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid

ingestion and inhalation.

**Precautions To Be Taken** 

in Storing:

Store at <= -40deg.C.

8. Exposure Controls/Personal Protection				
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1344-28-1	Aluminum oxide	PEL: 15 (dust); 5 (resp.) mg/m3	TLV: 10 mg/m3 (E)	No data.
69102-90-5	Polybutadiene	No data.	No data.	No data.
68611-44-9	Modified silicon dioxide	No data.	No data.	No data.
28182-81-2	Poly(hexamethylene diisocyanate)	No data.	No data.	No data.
71631-15-7	C.I. Pigment Black 30	No data.	TWA: 0.2 mg/m3 (IHL)	No data.
119-47-1	Phenol,2,2'-methylenebis6-(1,1-dimethylethyl)-4-methyl-	No data.	No data.	No data.
822-06-0	Hexamethylene-1,6-diisocyanate	TWA: 5 mg/m3	TLV: 0.005 ppm	No data.

**Respiratory Equipment** 

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

Safety glasses. **Eye Protection:** 

Wear appropriate protective gloves to prevent skin exposure. **Protective Gloves:** Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

**Engineering Controls** 

Appearance and Odor:

(Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use process enclosure, local exhaust ventilation, or

other engineering controls to control airborne levels below recommended

exposure limits.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash e Practices:

hands before breaks and at the end of workday.

# 9. Physical and Chemical Properties

**Physical States:** [ ] Gas [X] Liquid [ ] Solid

Appearance: Gray. Paste.

Odor: weak odor.

No data. pH: **Melting Point:** No data. **Boiling Point:** No data. **Flash Point:** > 93.00 C No data. **Evaporation Rate:** 

Flammability (solid,

gas):

No data available.

**Explosive Limits:** 

LEL: No data. UEL: No data.



Page: 4 of 6

Revision: 02/08/2024 Supersedes Revision: 05/25/2022

**Vapor Pressure:** No data.

Vapor Density (vs.

No data.

Air=1):

**Specific Gravity** 

(Water=1):

~2.2

No data. Solubility in Water:

**Saturated Vapor** 

No data.

**Concentration:** 

**Octanol/Water Partition** 

Coefficient:

No data.

**Autoignition Pt: Decomposition** 

No data. No data.

Temperature:

Viscosity:

No data.

Information with regard to primary physical hazard:

# 10. Stability and Reactivity

Unstable [ X ] Stable [ ] Stability:

**Conditions To Avoid -**Product will cure at ambient temperatures. Keep in cold storage until ready to

Will not occur [ ]

Instability: use.

To Avoid:

Hazardous Decomposition Carbon oxides, Nitrogen oxides.

or Byproducts:

Incompatibility - Materials Strong oxidizers. Strong bases, Strong acids.

Will occur [X]

Reactions:

**Conditions To Avoid -**No data available.

**Hazardous Reactions:** 

**Possibility of Hazardous** 



Page: 5 of 6

Revision: 02/08/2024 Supersedes Revision: 05/25/2022

# 11. Toxicological Information

**Toxicological Information:** No data available. **Sensitization:** Skin sensitization.

# 12. Ecological Information

No data available.

## 13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

# 14. Transport Information

LAND TRANSPORT (US DOT):

**DOT Proper Shipping** Not Regulated.

Name:

DOT Hazard Class: UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

UN Number: Packing Group:

**Hazard Class:** 

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

UN Number: Packing Group:

**Hazard Class:** 

# 15. Regulatory Information

#### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1344-28-1	Aluminum oxide	No	No	Yes
69102-90-5	Polybutadiene	No	No	No
68611-44-9	Modified silicon dioxide	No	No	No
28182-81-2	Poly(hexamethylene diisocyanate)	No	No	No
71631-15-7	C.I. Pigment Black 30	No	No	Yes-Cat. N090, N495
119-47-1	Phenol,2,2'-methylenebis6-(1,1-dimethylethyl)-4-methyl-	No	No	No
822-06-0	Hexamethylene-1,6-diisocyanate	No	Yes NA	Yes-Cat. N120, N106

#### **California Proposition 65**

**WARNING** 

This product can expose you to chemicals including C.I. Pigment Black 30, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1344-28-1	Aluminum oxide	TSCA: Inventory
69102-90-5	Polybutadiene	TSCA: Inventory
68611-44-9	Modified silicon dioxide	TSCA: Inventory
28182-81-2	Poly(hexamethylene diisocyanate)	TSCA: Inventory
71631-15-7	C.I. Pigment Black 30	TSCA: Inventory
		CA PROP.65: Yes - Cat.
119-47-1	Phenol,2,2'-methylenebis6-(1,1-dimethylethyl)-4-	TSCA: Inventory



Page: 6 of 6

Revision: 02/08/2024 Supersedes Revision: 05/25/2022

methyl-	•
---------	---

822-06-0	Hexamethylene-1,6-diisocyanate	TSCA: Inventory, 8D TERM
CAS#	Hazardous Components (Chemical Name)	International Regulatory Lists
1344-28-1	Aluminum oxide	REACH: (P), 01-2119817795-27: Full
69102-90-5	Polybutadiene	REACH: (P)
68611-44-9	Modified silicon dioxide	REACH: (P)
28182-81-2	Poly(hexamethylene diisocyanate)	REACH: (P), 01-2119970543-34: Full
71631-15-7	C.I. Pigment Black 30	REACH: (P), 01-2119965159-26: Full, Res Cat., XVII - Cat.
119-47-1	Phenol,2,2'-methylenebis6-(1,1-dimethylethyl)-4-methyl-	REACH: (P), 01-2119496065-33: Full, SVHC
822-06-0	Hexamethylene-1,6-diisocyanate	REACH: (P), 01-2119457571-37: Full, Res Cat.

#### 16. Other Information

**Revision Date:** 02/08/2024 **Previous revision:** 05/25/2022

Additional Information About This Product:

No data available.

Company Policy or Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.